crops®

GENERAL CATALOG

LOCKS / LIGHTS / CYCLE ACCESSORIES

DESIGNED FOR EVERY RIDE.









vol.25

ENGLISH CATALOG

THE ORIGINS OF CROPS

"To harvest what we grow."
Seeds are sown and nurtured through hard work.
In the same way, our products grow from ideas that we build, question and refine,
again and again, until they are ready to reach you.

This is how CROPS began in 1996.

OUR PHILOSOPHY

CROPS IDEAS
Like farmers tending their crops, our engineers and manufacturers nurture every idea with care.
We keep creating products that inspire our users
with a little surprise.

CROPS DESIGN
Our designs are never unusual for their own sake.
We pursue the essentials: simplicity, ease of use and the beauty that comes from function.

CROPS CRAFTSMANSHIP
We turn ideas into reality through close collaboration with our engineers and manufacturers,
refining every detail. This shared commitment is built on trust.
Every prototype is fitted to a real bicycle to check its fit, function and feel.
We resolve as many issues as possible before a product reaches you.
For us, this is simply how things should be made.

CURRENT LOGO

PREVIOUS LOGOS

THE EVOLUTION OF OUR LOGO

At the brand's 22nd anniversary, CROPS introduced a new corporate logo to support its next stage of growth. The familiar scorpion evolved into a contemporary, approachable symbol. The lettering also aligns with CROMO, a brand owned by our group company. This shared identity strengthens our brands and supports the development of products with even more surprises.

Contents


02-09 LOCKS

10-15 LIGHTS

16-17 INDEX

18-19 CYCLE ACCESSORIES

20-21 CROPS SELLECTION






FOLDING BLADE LOCK

BENLOCK BRACKET COMBO



DESIGN AWARD 2023

GOOD DESIGN AWARD 2023







Product name	BENLOCK BRACKET COMBO
Product code	BEN-FD15B-01
Color	Black
Type	U-lock
Blade Size (T × L mm)	9×147mm
Size (pipe diameter mm)	ϕ25–38mm
Weight (g)	537g
Parts	Bracket “BKT007”, Strap(ϕ25–38mm), Screw

CHAIN LOCK

DEFLOCKER

8 CHAIN SIZE mm



Product name	DEFLOCKER / ART2 Approved
Product code	DL8-110-01
Color	Black
Lock Type	Angled chain
Locking system	Key cylinder
Size (T × L mm)	8.3×1100mm
Weight (g)	2,420g
Parts	Keys × 3

CHAIN LOCK

K2 CHAIN LOCK

3 CHAIN SIZE mm



Product name	K2 CHAIN LOCK
Product code	K2-100-01
Color	Black
Lock Type	Chain
Locking system	3-digit combination
Size (T × L mm)	3×1000mm
Weight (g)	323g

CHAIN LOCK

ECN412

4 CHAIN SIZE mm





Product name	E CHAIN LOCK
Product code	ECN412
Color	Black, Blue, Red, Gray, Gravel green
Lock Type	Chain
Locking system	4-digit combination
Size (T × L mm)	4×1200mm
Size (pipe diameter mm)	80×23×23mm
Weight (g)	379g

VIBRATION SENSOR ALARM

LION ALARM

USB TYPE-C

dB
3 LEVELS
60/90/110db

BATTERY INDICATOR

LOW BATTERY INDICATOR





CONNECTED
TO K4 LOCK SERIES

Product name	LION ALARM（USB Type-C）
Product code	Z110N-AL
Color	Black
Type	USB Type-C charging
	Sound volume: 60 / 90 / 110 dB
	Continuous standby: approx. 160 hours
Body dimensions (W × D × H)	85×33×34mm
Weight (g)	130 g
Parts	USB-C to USB-A Cable, Spacer, Screw

FOLDING BLADE LOCK

K4-CABRIO



Product name	K4-CABRIO
Product code	K4-FD60NB-01
Color	Black
Lock Type	Folding blade
Locking system	Dimple key cylinder
Size (T × L mm)	6×800mm
Size (pipe diameter mm)	ϕ25–38mm
Weight (g)	620g
Parts	Dimple keys × 3, Bracket “BKT007”, Strap(ϕ25–38mm), Screw

FOLDING BLADE LOCK

K4-CABRIO-AL


LION ALARM



Product name	K4-CABRIO-AL
Product code	K4-FD60NB-AL-01
Color	Black
Lock Type	Folding blade
Locking system	Dimple key cylinder
Size (T × L mm)	6×800mm
Size (pipe diameter mm)	ϕ25–38mm
Weight (g)	750g
Parts	Dimple keys × 3, Bracket “BKT007”, Strap(ϕ25–38mm), Screw USB (Type- C) Cable, Spacer, Screw

FOLDING BLADE LOCK

K5-CABRIO



Product name	K5-CABRIO
Product code	K5-FD60NB-01
Color	Black
Lock Type	Folding blade
Locking system	5-digit combination
Size (T × L mm)	6×800mm
Size (pipe diameter mm)	ϕ25–38mm
Weight (g)	590g
Parts	Bracket “BKT007”, Strap(ϕ25–38mm), Screw

CABLE LOCK

K4-10D180 / K4-10D180-AL

WIRE DIA. ϕ10 ×10 mm



L1800mm

LION ALARM



L1800mm

Product name	K4-10D180	K4-10D180-AL
Product code	CP-K4-10D180	CP-K4-10D180-AL
Color	Black	Black
Lock Type	Double straight cable	Double straight cable
Locking system	Dimple key cylinder	Dimple key cylinder
Size (T × L mm)	10(Double)×1800mm	10(Double)×1800mm
Weight (g)	801g	931g
Parts	Dimple keys × 3	Dimple keys × 3, USB-C to USB-A Cable, Spacer, Screw

CABLE LOCK

K4-10D110
K4-10D110-AL

WIRE DIA. Φ10×10mm



L1100mm



L1100mm

LION ALARM

CABLE LOCK

K5-10D

WIRE DIA. Φ10×10mm



L1800mm



L1100mm

CABLE LOCK

K5

WIRE DIA. Φ10mm



L1800mm

Product name	K4-10D110	K4-10D110-AL	K5-10D180	K5-10D110	K5-10180
Product code	CP-K4-10D110	CP-K4-10D110-AL	CP-K5-10D180	CP-K5-10D110	CP-K5-10180
Color	Black	Black	Black	Black	Black
Lock Type	Double straight cable	Double straight cable	Double straight cable	Double straight cable	Single coil cable
Locking system	Dimple key cylinder	Dimple key cylinder	5-digit combination	5-digit combination	5-digit combination
Size (T × L mm)	10(Double)×1100mm	10(Double)×1100mm	10(Double)×1800mm	10(Double)×1100mm	10×1800mm
Weight (g)	742g	742g	795g	547g	506g
Parts	Dimple keys × 3, USB-C to USB-A Cable, Spacer, Screw	Dimple keys × 3, USB-C to USB-A Cable, Spacer, Screw			Bracket " ZP-BKT006N "

CABLE LOCK

Q10

WIRE DIA. Φ5×5mm



Product name	Q10
Product code	CP-SPD10
Color	Black, Titanium Silver
Lock Type	Double straight cable
Locking system	3-digit combination
Size (T × L mm)	5(Double)×1500mm
Weight (g)	185g

CABLE LOCK

Q5 / Q5EW

WIRE DIA. Φ5mm



Product name	Q5	Q5-Easy Wrap
Product code	CP-SPD09	CP-SPD09-EW
Color	Black	Black
Lock Type	Single straight cable	Single straight cable
Locking system	3-digit combination	3-digit combination
Size (T × L mm)	5×1800mm	5×1800mm
Weight (g)	148g	165g



MEMORY SHAPE CABLELOCK

K4-BIRO 150

WIRE DIA. ϕ4 × 4mm



Product name	K4-BIRO 150
Product code	K4-BR150B-01S
Color	Black
Lock Type	Shape-memory cable with dual inner wires
Locking system	Dimple key cylinder
Size (ϕ × L mm)	4(Double)×1,500mm
Size (pipe diameter mm)	Size (pipe diameter mm)
Weight (g)	331g
Parts	Dimple keys × 3, Universal bracket “ZP-BKT006N”

MEMORY SHAPE CABLELOCK

K5-BIRO 150

WIRE DIA. ϕ4 × 4mm



Product name	K5-BIRO 150
Product code	K5-BR150B-01S
Color	Black
Lock Type	Shape-memory cable with dual inner wires
Locking system	5-digit combination
Size (ϕ × L mm)	4(Double)×1,500mm
Weight (g)	299g
Parts	Universal bracket “ZP-BKT006N”

MEMORY SHAPE CABLELOCK

K3-BIRO

WIRE DIA.
ϕ4 × 4mm





Product name	K3-BIRO
Product code	K3-BR120B
Color	Black, Red, Carbon
Lock Type	Shape-memory cable with dual inner wires
Locking system	3-digit combination
Size (ϕ × L mm)	4(Double)×1200mm
Weight (g)	200g
Parts	Universal bracket “ZP-BKT006N”

MEMORY SHAPE CABLELOCK

Q-BIRO



Product name	Q-BIRO
Product code	CP-SPD04-BR
Color	Black, Red, White, Indigo blue
Lock Type	Shape-memory cable with dual inner wires
Locking system	3-digit combination
Size (ϕ × L mm)	2(Double)×1800mm
Weight (g)	111g

MEMORY SHAPE CABLELOCK

Q-BIRO mini

WIRE DIA.
ϕ2 × 2mm



Product name	Q-BIRO mini
Product code	SPD04-BR90
Color	Black, Red, Indigo blue
Lock Type	Shape-memory cable with dual inner wires
Locking system	3-digit combination
Size (ϕ × L mm)	2(Double)×900mm
Weight (g)	84g



CABLE LOCK

Q5-COCON

WIRE DIA. Φ 5 mm





Product name	Q5-COCON
Product code	SPD09-CCN
Color	Black, Red, Yellow, Gray, Indigo blue
Lock Type	Single coil cable
Locking system	3-digit combination
Size (ϕ × L mm)	5×1800mm
Weight (g)	148g

CABLE LOCK

Q-MOUNT LOCK (L1500mm)

WIRE DIA. Φ10 mm




Product name	Q-MOUNT LOCK
Product code	EL10150
Color	Black, Gravel sand, Celeste
Lock Type	Single coil cable
Locking system	4-digit combination
	(Resettable combination)
Size (ϕ × L mm)	10×1500mm
Size (pipe diameter mm)	ϕ27–44mm
Weight (g)	285g
Parts	Silicone band

CABLE LOCK

Q-MOUNT LOCK (L600mm)

WIRE DIA. Φ10 mm



Product name	Q-MOUNT LOCK
Product code	EL1060
Color	Black, Gravel sand, Celeste
Lock Type	Single coil cable
Locking system	4-digit combination
	(Resettable combination)
Size (ϕ × L mm)	10×600mm
Size (pipe diameter mm)	ϕ27–44mm
Weight (g)	160g
Parts	Silicone band

CABLE LOCK

ELK



Product name	ELK
Product code	SPD03-SC01
Color	Black, Red, Hairline Silver
Lock Type	Single coil cable
Locking system	3-digit combination
Size (φ × L mm)	3×1500mm
Weight (g)	111g

CABLE LOCK

Q4

WIRE DIA. Φ 4 mm



Product name	Q4
Product code	CP-SPD07
Color	Black, White, Red, Gravel green, Gravel sand
Lock Type	Single straight cable
Locking system	3-digit combination
Size (φ × L mm)	4×1800mm
Weight (g)	123g

CABLE LOCK

Q3

WIRE DIA. Φ 3 mm



Product name	Q3
Product code	CP-SPD08
Color	Black, White, Red, Gravel green, Gravel sand
Lock Type	Single coil cable
Locking system	3-digit combination
Size (φ × L mm)	3×1800mm
Weight (g)	93g

CABLE LOCK

UNIQ

最も軽く、最も短い

WIRE DIA. Φ 4 mm



Product name	UNI-Q
Product code	CP-SPD07SHT
Color	Black, White, Red, Gray, Mango, Gravel green, Gravel sand
Lock Type	Single straight cable
Locking system	3-digit combination
Size (φ × L mm)	4×300mm
Weight (g)	71g

HEAD LIGHT | 1200 Lumen | USB Type-C — rev1200



Runtime	
HI	Approx. 2.5 H
MIDDLE	Approx. 4 H
LOW	Approx. 6 H
FLASH	Approx. 60 H

HEAD LIGHT | 900 Lumen 600 Lumen | USB Type-C — rev900 / rev600



Runtime	rev900	rev600
HI	Approx. 2.5 H	Approx. 3 H
MIDDLE	Approx. 4 H	Approx. 6 H
LOW	Approx. 7 H	Approx. 9 H
FLASH	Approx. 46 H	Approx. 48 H

Product Name	rev1200	rev900	rev600
Product Code	C1R07-01-0117	C1R06-01-0100	C1R05-01-0094
Color	Black	Black	Black
Power Source	Li-ion battery, 3.7 V / 5,200 mAh	Li-ion battery, 3.7 V / 2,600 mAh	Li-ion battery, 3.7 V / 2,600 mAh
Charging Method	USB Type-C charging	USB Type-C charging	USB Type-C charging
Brightness / Charging Time	Max. 1,200 lm / Approx. 7–8 hours	Max. 900 lm / Approx. 5 hours	Max. 600 lm / Approx. 5 hours
Battery Indicator	Yes / Remaining charge check	Yes / Remaining charge check,	Yes / Remaining charge check,
Water Resistance	low-battery warning / IPX4	low-battery warning, IPX4	low-battery warning, IPX4
Dimensions / Weight	W56 × D103 × H39 mm / 227 g	W34 × D113 × H38 mm / 150 g	W34 × D113 × H38 mm / 150 g
Mounting Range	Handlebar diameter: ϕ22–35 mm	Handlebar diameter: ϕ22–35 mm	Handlebar diameter: ϕ22–35 mm
Included Parts	ZP-UBX02-LM UltiFix bracket, USB-C to USB-A cable included	ZP-UBX02-LM UltiFix bracket, ZP-GP01LM GP mount, USB-C to USB-A cable included	ZP-UBX02-LM UltiFix bracket, ZP-GP01LM GP mount, USB-C to USB-A cable included

HEAD LIGHT | 500 Lumen 300 Lumen | USB Type-C — rev500 / rev300



Runtime	rev500
HI	Approx. 3.5 H
LOW	Approx. 8.5 H
FLASH	Approx. 48 H

Runtime	rev300
HI	Approx. 4.5 H
LOW	Approx. 5.5 H
FLASH	Approx. 53 H

HEAD LIGHT | 150 Lumen | USB Type-C Alkaline batteries — rev150

Ni-MH or ALKALINE



Runtime	rev150
HI	Approx. 2 H
LOW	Approx. 4 H
FLASH	Approx. 38 H

Product Name	rev500	rev300	rev150
Product Code	C1R02-01-0025	C1R01-01-0018	C1R03-01-0032 (Black), C1R03-17-0049 (Gray)
Color	Black	Black	Black / Gray
Power Source	Li-ion battery, 3.7 V / 2,600 mAh	Li-ion battery, 3.7 V / 2,200 mAh	Two AA Ni-MH rechargeable batteries
Charging Method	USB Type-C charging	USB Type-C charging	1.2 V / USB Type-C charging;
Charging Time	Approx. 4 hours	Approx. 4 hours	also compatible with two AA alkaline batteries
Battery Indicator	Yes / Remaining charge check	Yes / Remaining charge check	Approx. 5.5 hours with the included rechargeable batteries
	low-battery warning	low-battery warning	Yes / Remaining charge check and low-battery warning
Water Resistance	IPX4	IPX4	IPX4
Dimensions / Weight	W33 × D120 × H34 mm / 108 g	W33 × D120 × H34 mm / 108 g	W39 × D89 × H23.5 mm / 113 g including batteries
Mounting Range / Included Parts	Handlebar diameter: ϕ22–35 mm ZP-UBX02-LM UltiFix bracket, ZP-GPM01LM GP mount, USB-C to USB-A cable included	Handlebar diameter: ϕ22–35 mm ZP-UBX02-LM UltiFix bracket, ZP-GPM01LM GP mount, USB-C to USB-A cable included	Handlebar diameter: Ø22–35 mm ZP-UBX02-LM UltiFix bracket, and two AA Ni-MH rechargeable batteries USB-C to USB-A cable included

LIGHT COMBO

URBAN KIT





ZP-UB08



Runtime	rev300
HI	Approx. 4.5 H
LOW	Approx. 5.5 H
FLASH	Approx. 53 H

Runtime	SC100R
HI	Approx. 4 H
LOW	Approx. 7.5 H
SPEED FLASH	Approx. 14 H
SLOW FLASH	Approx. 8 H

Product Code	URBAN KIT
Product Name	C4K02-01-0667
Color	Black

LIGHT COMBO

STARTER KIT



ZP-RB12-18





ZP-RBF02



Runtime	rev150
HI	Approx. 2 H
LOW	Approx. 4 H
FLASH	Approx. 38 H

Runtime	80JSRV-USB
FLASH	Approx. 50 H

Product Code	STARTER KIT
Product Name	C4K01-01-0551 (Black) / C4K01-17-0568 (Gray)
Color	Black / Gray

LIGHT COMBO

COMMUTER KIT

AA alkaline batteries × 2
CR2032 battery





ZP-UB08



Runtime	v150
HI	Approx. 9 H
LOW	Approx. 14 H
FLASH	Approx. 30 H

	EZ1-SPORTS
HI	Approx. 200 H
FLASH1	Approx. 300 H
FLASH2	Approx. 360 H

Product Code	COMMUTER KIT
Product Name	C4K02
Color	FRONT v150: Black / White / Blue / Gray / Gravel Green REAR EZ1-SPORTS: Black body / Red lens

HEAD LIGHT | 150 Lumen | AA batteries

v150

AA alkaline batteries × 2



Runtime	
HI	Approx. 9 H
LOW	Approx. 14 H
FLASH	Approx. 30 H

Product Code	rv150
Product Name	C1R04
Color	Black / White / Blue / Gray / Gravel Green
Power Source	Two AA batteries
Brightness	Max. 150 lm
Battery Indicator	Yes / Battery indicator, low-battery warning
Water Resistance	IPX4
Dimensions / Weight	W38 × D90 × H26 mm / 110 g including batteries
Mounting Range	Handlebar diameter: ϕ22–35 mm
Included Parts	ZP-UBX02-LM UltiFix bracket, Two AA test batteries included

BATTERY LIGHT SX9CWS / SX8CWS

100 lm | AAA alkaline batteries × 3



Runtime	
HI	Approx. 25H
LOW	Approx. 45H
FLASH	Approx. 65H

100 lm | AAA alkaline batteries × 3



Runtime	
HI	Approx. 25H
LOW	Approx. 45H
FLASH	Approx. 65H

BATTERY LIGHT SX8CW / SX7CW

1,000 cd | AAA alkaline batteries × 3



Runtime	
HI	Approx. 25H
FLASH	Approx. 50H

1,000 cd | AA alkaline batteries × 3



Runtime	
HI	Approx. 90H
FLASH	Approx. 175H

Product Name	SX9CWS	SX8CWS	SX8CW	SX7CW
Product Code	C1S03	C1S02-01-9718	C1S01N	C1S04-01-9923
Color	Black / White	Black	Black / White / Silver	Black
Power Source	Three AAA batteries	Three AAA batteries	Three AAA batteries	Three AA batteries
Brightness	Max. 100 lm / 2,000 cd	Max. 100 lm / 2,000 cd	40 lm / 1,000 cd	30 lm / 1,000 cd
Battery Indicator	Low-battery warning only	Low-battery warning only	Low-battery warning only	Low-battery warning only
Dimensions	W81 × D35 × H32 mm	W81 × D34 × H32 mm	W81 × D34 × H32 mm	W95 × D42 × H50 mm
Weight	80 g including batteries	69 g including batteries	69 g including batteries	109 g including batteries
Mounting Range	Handlebar diameter: Ø22–32 mm	Handlebar diameter: Ø22–32 mm	Handlebar diameter: Ø22–28 mm	Handlebar diameter: Ø22–28 mm
Included Parts	ZP-UB07 universal bracket	ZP-UB07 universal bracket	ZP-FB22-28N bolt-on bracket	ZP-FB22-28N bolt-on bracket
	Bottom mounting supported			

TAIL LIGHT Micro USB BL600mu



ZP-UB08



Runtime	
HI	Approx. 4.5H
LOW	Approx. 8.5H
FLASH	Approx. 8.5H

Product Name	BL600mu
Product Code	C2E02-04-9374
Color	Red
Power Source	Li-ion battery, 3.7 V / 320 mAh / Micro USB charging
LED	Red LED ×1 and COB LED ×6
Charging Time	Approx. 2.5 hours
Battery Indicator	Yes / Remaining charge shown
	by the number of LED flashes
Dimensions / Weight	W72 × H20 × D29 mm / 28 g
Mounting Range	Round and aero-shaped seatposts supported
Included Parts	ZP-UB08 universal bracket, Micro USB cable included

TAIL LIGHT USB Type-C EZ500mu-SPORTS



ZP-UB08



Runtime	
HI	Approx. 5.5H
FLASH1	Approx. 15H
FLASH2	Approx. 30H

Product Name	EZ500mu-SPORTS
Product Code	C2E04-01-0575 (Black), C2E04-04-0582 (Red)
Color	Black, Red
Power Source	Li-ion polymer battery, 3.7 V / 320 mAh / USB Type-C charging
LED	Red LED ×5
Charging Time	Approx. 2 hours
Battery Indicator	Yes / Remaining charge shown
	by the number of illuminated LEDs
Dimensions / Weight	W68 × H24 × D19 mm / 22 g
Mounting Range	Round and aero-shaped seatposts supported
Included Parts	ZP-UB08 universal bracket, USB-C to USB-A cable included

SAFETY LIGHT SC100W / SC100R

Micro USB | USB Type-C





Runtime	SC100W
HI	Approx. 4H
LOW	Approx. 7.5H
SPEED FLASH	Approx. 14H
SLOW FLASH	Approx. 8H

Runtime	SC100R
HI	Approx. 4H
LOW	Approx. 7.5H
SPEED FLASH	Approx. 14H
SLOW FLASH	Approx. 8H

	SC100W	SC100R
Product Name	SCENES SC100W	SCENES SC100R
Product Code	C1SC01-13-9749	C2SC02-04-0599
Color	Clear	Red
Power Source	Li-ion polymer battery, 3.7 V / 400 mAh	Li-ion polymer battery, 3.7 V / 400 mAh
	Micro USB charging	USB Type-C charging
LED	Approx. 37 lm / White LED ×35	Red LED ×35
Charging Time	Approx. 90 minutes	Approx. 90 minutes
Battery Indicator	Yes / Five-level display at power-on	Yes / Five-level display at power-on
Dimensions / Weight	W38 × D45 × H21 mm / 23 g	W38 × D45 × H21 mm / 23 g
Mounting Range	Round and aero-shaped tubes supported	Round and aero-shaped tubes supported
Included Parts	ZP-UB08 universal bracket, Micro USB cable included	ZP-UB08 universal bracket, USB-C to USB-A cable included

TAIL LIGHT CR2032 x1 EZ1-SPORTS



ZP-UB08



Runtime	EZ1-SPORTS
HI	Approx. 200H
FLASH1	Approx. 300H
FLASH2	Approx. 360H

	EZ1-SPORTS
Product Name	SCENES EZ1-SPORTS
Product Code	CPEZ1RNU-018CR
Color	Black
Power Source	One CR2032 battery
	Replaceable-battery type
LED	Red LED ×1
Charging Time	-
Battery Indicator	-
Dimensions / Weight	W34 × H32 × D19 mm / 11 g including battery
Mounting Range	Round and aero-shaped seatposts,
Included Parts	seatstays and helmet mounting supported, ZP-UB08 universal bracket

TAIL LIGHT USB Type-C 80JSRV-USB

Solar + USB-C charging



Runtime	80JSRV-USB
FLASH	Approx. 50H
charging	Approx. 2H (USB-C)
	Approx. 4H (solar)

	80JSRV-USB
Product Name	80JSRV-USB
Product Code	C2T02-04-0377
Color	Red
Power Source	Ni-MH battery, 1.2 V / 200 mAh
Charging Method	Solar and USB Type-C charging
LED	Red LED ×1
Charging Time	Approx. 2 hours via USB; solar charging time varies
Weight	38 g including battery
Mounting Range	Seatstay diameter: ϕ12–18 mm
Included Parts	ZP-RB12-18 seatstay bracket, ZP-RBF02 mudguard bracket, USB-C to USB-A cable included

TAIL LIGHT 80JSRV-NUSB

Solar charging



Runtime	80JSRV-USB
FLASH	Approx. 50H
charging	Approx. 4H (solar)


	80JSRV-NUSB
Product Name	80JSRV-NUSB
Product Code	C2T03-04-0384
Color	Red
Power Source	Ni-MH battery, 1.2 V / 200 mAh
Charging Method	Solar charging
LED	Red LED ×1
Charging Time	At least 4 hours in direct sunlight
Weight	38 g including battery
Mounting Range	Seatstay diameter: ϕ12–18 mm
Included Parts	ZP-RB12-18 seatstay bracket, ZP-RBF01 mudguard bracket

Dimple key



K4 series

DIMPLE KEY
Compatible with the LION ALARM vibration-sensor alarm. The plug-style head has an independent locking mechanism in each of its two blades for enhanced security.



Combination lock



COMBINATION LOCK
Flat, easy-to-turn dials combine practical function with clean design.




ZERO STOP COUNTER
Turn the dials clockwise until they stop at "0". This gives you a quick reference point when setting the code to unlock.



K5 series


5-DIGIT COMBINATION
Choose from 100,000 codes. The flat dial layout makes the code easy to read and remember, and the dials easy to turn.





K3


3-DIGIT COMBINATION
A sharp, lightweight head designed for comfortable use and everyday practicality.





K2 series

3-DIGIT COMBINATION
A reinforced head that combines a sharp profile with practical everyday performance.









Q5 series / Q10


3-DIGIT COMBINATION
A reinforced, PRO-spec evolution of the Q-series head. Its comfortable size suits a wide range of urban riding situations.





Q series

3-DIGIT COMBINATION
A signature CROPS design developed for sports cyclists. Riders have relied on its functionality and wide variety for many years.





E series



E series

CABLE LENGTH GUIDE

Front wheel + down tube Cable

L300mm




Front wheel + down tube Cable

L1100mm



Bicycle + fixed railing Cable

L1800mm



FOLDING BLADE
6 mm hardened blades joined with special rivets resist cutting and bending, with strength suited to longer parking.

L800mm



CHAIN
Available in 3, 4, 6 and 8 mm thicknesses.

L1100 / 1000mm

900mm

500mm



BIG BIRO CABLE
A reinforced BIRO cable that balances strength and portability. Used on bracket-mounted models such as K3-BIRO and K4-BIRO.

L1200mm



BIRO CABLE
CROPS' own shape-memory cable is less prone to stretching out of shape than a conventional coil cable. Twin wires add strength.

L1800mm

L900mm



COIL CABLE
Stores neatly without bundling. Widely used on bracket-mounted and compact locks.

L1800mm




EASY WRAP CABLE
A hybrid of coil and straight cable. The coiled section makes compact storage easy.

L2400mm



DOUBLE-WIRE CABLE
Two bundled wires improve resistance to cutting and reduce twisting for smooth, easy storage.



DOUBLE WIRE

L1800mm

L1100mm



STRAIGHT CABLE
Less likely to tangle in spokes. Useful for securing both wheels or multiple bicycles.



SINGLE WIRE

L1800mm

L300mm

Lengths shown are overall lengths, including the lock head.

FB22-28N BOLT ON BRACKET

Product code	Size (Handlebar diameter)	Weight (g)
ZP-FB22-28N (XCC)	ϕ 22 ~ 28	22



FB32 BOLT ON BRACKET

Product code	Size (Handlebar diameter)	Weight (g)
ZP-FB32	ϕ 32	22



UB07 UNIVERSAL BRACKET

Product code	Size (Handlebar diameter)	Weight (g)
ZP-UB07	ϕ 22 ~ 32	9

Silicone band / Rubder pad / Double-sided tape



UB09-LM UNIVERSAL BRACKET

Product code	Size (Handlebar diameter)	Weight (g)
ZP-UB09-LM	ϕ 22 ~ 32	12

For : rev series



UBX02-LM UNIVERSAL BRACKET

Product code	Size (Handlebar diameter)	Weight (g)
ZP-UBX02-LM	ϕ 22 ~ 35	23

For : rev series



UBX02LM-BLB UNIVERSAL BRACKET

Product code	Size (Handlebar diameter)	Weight (g)
ZP-UBX02LM-BLB	ϕ 22 ~ 35	-

For : rev series



HB01 HELMET BRACKET

Product code	Weight (g)
ZP-HB01	3



UB07PT UB07 REPAIR PARTS

Product code	Weight (g)
ZP-UB07PT	3



BLB-KN BELL (BRASS)

Product code	Weight (g)
ZP-BLB-KN	23

UltiFix-specific part



GPM01LM GP MOUNT

Product code	Weight (g)
ZP-GPM01LM	8

Bolt / Washer

For : rev series



HSPB02 HEAD SPACER BRACKET

Product code	Size (Handlebar diameter)	Weight (g)
ZP-HSPB02	ϕ 28.6	26



ADAPTER J2 Terminal conversion adapter

Product code
HP-ADAPTER



Product code
SS-ADAPTER



BX2 HUB LAMP HOLDER

Hub lamp holder : For 3/8″shaft or 5/16″shaft
Material: Aluminum alloy

Product code	Color	Size (ϕ × L mm)	Weight (g)
CP-BX2	Silver	25 × 42	42







UB08 UNIVERSAL BRACKET

	Name	Parts no.	Product code
Combo	Basic / All parts	1 • 2 • 3 • 4 • 5	ZP-UB08
	Basic / Short band type	1 • 2 • 3 • 4	ZP-UB08 - A TYPE
	Basic / Long band type	1 • 3 • 5	ZP-UB08 - B TYPE



ZP-UB08

Parts

1 BASE / ZP-UB08 - BASE

2 Normal pad / ZP-UB08 - NP

3 Aero pad / ZP-UB08 -AP


4 Short band / ZP-UB08 - SB

5 Long band / ZP-UB08 - LB

FBST01 SADDLE RAIL BRACKET

Product code	Size (Saddle rail diameter)	Weight (g)
ZP-FBST01	ϕ 6 ~ 8	17

For : EZ500mu-SPORTS / BL600mu / SC100W / SC100R





MOUNTING VIDEO

RB12-18 SEAT STAY BRACKET

Product code	Size (Pipe diameter)	Weight (g)
ZP-RB12-18	ϕ 12 ~ 18	18

Sizing collars / Rubber pad

For : 80JSRV / 80JSRV-USB / 80JSRV-NUSB







RB25 SEAT STAY BAND

Product code	Weight (g)
ZP-RB25	10

Fits: Ø22-26 mm
Collars, rubber pad, washer, bolt

For : 80JSRV / 80JSRV-USB / 80JSRV-NUSB

RBF02 MUDGUARD MOUNT

Product code	Weight (g)
ZP-RBF02	14


For : 80JSRV / 80JSRV-USB / 80JSRV-NUSB



Button cell battery : B80H REPAIR PARTS

Product code	Battery	Weight (g)
ZP-B80H	Ni-MH 1.2 V / 80 mAh	3


For : 80JSRV



Rechargeable battery : B200H REPAIR PARTS

Product code	Battery	Weight (g)
ZP-B200H	Ni-MH 1.2 V / 200 mAh	4

For : 80JSRV-USB / 80JSRV-NUSB



LOCK PARTS

BKT006N UNIVERSAL BRACKET

Product code	Size (Pipe diameter)	Weight (g)
ZP-BKT006N	ϕ 22 ~ 40	44




BKT007 BENLOCK BRACKET

Product code	Size (Pipe diameter)	Weight (g)
ZP-BKT007	ϕ 25 ~ 38	110 (Strap included)

Fastening bands × 2 / Phillips screws × 2

For : BENLOCK



BKT007K CABRIO BRAKET

Product code	Size (Pipe diameter)	Weight (g)
ZP-BKT007K	ϕ25 ~ 38	110 (Strap included)

Fastening bands × 2 / Phillips screws × 2
For: K4-CABRIO / K5-CABRIO



Strap : BKT007-S55 BKT007 REPAIR PARTS

Product code	Size (Pipe diameter)	Weight (g)
ZP-BKT007-S55	ϕ 40 ~ 55	-

For : BENLOCK / K4-CABRIO / K5-CABRIO





CROPS SELECTION brings together carefully chosen brands with a shared commitment to product quality and ease of use.

GT-12

Speed	Size	Links	KMC Missinglink	Weight
12 Speed	1/2ˣ 11/128”	126 L	CL552	280 g

NP/NP



Ti-N GOLD



※ PVDコーティング処理

GT-11

Speed	Size	Links	KMC Missinglink	Weight
11 Speed	1/2ˣ 11/128”	118 L	CL555R	266 g

NP/NP



Ti-N GOLD



PVD coating

GUNMETAL



※ PVDコーティング処理

GALAXY BLUE



PVD coating

GT-10

Speed	Size	Links	KMC Missinglink	Weight
10 Speed	1/2ˣ 11/128”	116 L	CL559R	295 g

NP/NP



Ti-N GOLD



PVD coating

GUNMETAL



※ PVDコーティング処理

GALAXY BLUE



PVD coating

GT-10 126L

Speed	Size	Links	KMC Missinglink	Weight
10 Speed	1/2ˣ 11/128”	126 L	CL559R	322 g

NP/NP



SILVER-RB



GT-9

Speed	Size	Links	KMC Missinglink	Weight
9 Speed	1/2ˣ 11/128”	116 L	CL566R	314 g

NP / NP



Ti-N GOLD



PVD coating

SILVER-RB



GUNMETAL



※ PVDコーティング処理

GALAXY BLUE



PVD coating

CT-8

Speed	Size	Links	KMC Missinglink	Weight
8/7/6 Speed	1/2ˣ 3/32”	116 L	CL571R	325 g

SILVER-RB



NP / NP



Ti-N GOLD



PVD coating

CTH-1

For single-speed bicycles: track, BMX and internal-gear models

Speed	Size	Links	KMC Missinglink	Weight
1 Speed	1/2” x 1/8”	108 L	ZL592	386 g

NP/NP





C410

Speed	Size	Links	KMC Spring clip	Weight
Single	1/2” x 1/8”	114 L	Z410ARB/CLN	350 g

SILVER-RB



Speed	Size	Links	KMC Spring clip	Weight
Single	1/2” x 1/8”	114 L	Z410A/CLN	334 g

SILVER / BLACK



CT1HX

CHAIN FOR E-BIKES

Speed	Size	Links	KMC Spring clip	Weight
Single	1/2” x 1/8”	130 L	Z510A/CLN	496 g

SILVER-RB



Spring clip




KMC Spring clip
Z410H/CLN




KMC Spring clip
Z510H/CLN

TEC CHAIN FEATURES


TEC CHAIN uses advanced manufacturing technology and precision-finished components for efficient, smooth performance. Its balance of efficiency, durability, low weight and easy maintenance suits a wide range of riding needs.




GT-11



GT-10 / GT-9





benlock
The foldable U-lock

2023 WINNER

K5 series
5 digits combination lock

2012 WINNER

benlock
The foldable U-lock

GOOD DESIGN
AWARD 2023

Official site

e-catalog

www.crops-sports.com

CROPS Co., Ltd.
1-1-24, Honmachi, Hyogo-ku, Kobe, 6520834 Japan

- Suggested retail prices are subject to change without prior notice due to fluctuation in material prices, exchange rates, etc.
- Product descriptions are effective as of September 2026.
- Specifications and product designs that appear in this catalog are subject to change without prior notice due to product improvement.
- The size and weight indicated may vary depending on method of measurement and the individual difference.

#w_2026.09